

 **CRESCENT**[®]




HVAC, Plumbing and Electrical Hand Tools

2021 Professional Products Catalog

Trusted by the Trades.

TABLE OF CONTENTS

Pliers	Utility Knives.....27
Z2 Pliers and Cutters2	Jab Saw 28
Z2 Tongue and Groove Pliers.....5	Mini Tube Cutter 28
Locking Pliers.....8	Medium Tube Cutter..... 28
Wire Stripper9	Ratcheting PVC Cutter..... 29
Wire Crimper9	Medium PVC Cutter 29
	Hole Cutter 29
Wrenches	Measuring
Steel Pipe Wrenches 10	Tape Measures 30
Aluminum Pipe Wrenches..... 11	Long Tape..... 32
	Combination Squares..... 32
Metal Duct Work	Storage
Tradesman Snips 13	Chests 33
Tinner Snips..... 18	Piano Boxes 33
Hand Notcher 20	Tool Bags..... 34
5-Blade Crimper 20	Backpack..... 36
Flex Duct Cutter..... 21	
Duct Knife..... 21	Trade Tools
Duct Stretcher 21	Hammer 36
Hand Seamer 22	4 Pc. Screwdriver Set37
Snap Lock Punch..... 22	7 Pc. VDE Screwdriver Set.....37
Folding Tools 22	Files.....37
Cable Tie Tensioning Tool 23	Hex Keys..... 38
Adjustable Wrenches 23	Pipe Reamer 38
	Bits 39
Cutting Tools	
Shears 24	
Pocket Knives..... 26	



Z2 Lineman's Pliers

These are Crescent's best cutting lineman's pliers ever with a pivot-forward high-leverage joint design that lowers force required to cut by 35%, reducing hand fatigue on repetitive cuts. Combine that with laser-hardened cutting edges that provide 50% longer cutting life and you have tools made for the high demands of professional tradespeople.



- LONGEST CUT LIFE**
50%+
GOOD BETTER BEST
- EASY CUTTING**
35%+
GOOD BETTER BEST
- LASER HARDENED**
- EDGES STAY SHARP**
- FISH TAPE CHANNEL**
- REAMING HEAD**



Dipped Handle Option:
Ergonomic, easy clean dipped grips



Z2 Cushion Grip Lineman's Pliers

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Product Weight
Z20509CG	9.6 in	1.6 in	0.31 in	0.62 in	KNIFE-KNIFE / AWG 5	1.6 in	1.200 lb



Z2 Lineman's Dipped Handle Pliers

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Product Weight
Z20509	9.1 in	1.6 in	0.31 in	0.62 in	KNIFE-KNIFE / AWG 5	1.6 in	1.100 lb



Z2 Long Nose Dual Material Pliers

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Product Weight
Z6546CG	6.6 in	2 in	0.12 in	0.37 in	KNIFE-KNIFE / AWG 11	1.5 in	0.300 lb
Z6548CG	8.5 in	3 in	0.16 in	0.38 in	KNIFE-KNIFE / AWG 11	2 in	0.450 lb

- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Cross hatched jaw for gripping and pulling
- Fish tape channel for use with flat steel tapes
- Ergonomic handles with tether point increase overall comfort and safety

- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Cross hatched jaw for gripping and pulling
- Fish tape channel for use with flat steel tapes
- Professional easy clean dipped grips

- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Cross hatched jaw for gripping and pulling
- Fastener grip area for turning nuts and bolts
- Ergonomic handles with tether point increase overall comfort and safety



- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Cross hatched jaw for gripping and pulling
- Fastener grip area for turning nuts and bolts
- Professional easy clean dipped grips

Z2 Long Nose Dipped Handle Pliers

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Product Weight
Z6546	6.2 in	2 in	0.12 in	0.37 in	KNIFE-KNIFE / AWG 11	1.5 in	0.250 lb
Z6548	8.1 in	3 in	0.16 in	0.38 in	KNIFE-KNIFE / AWG 11	2 in	0.400 lb



- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- 20° head angle for true flush cutting
- Ergonomic handles with tether point increase overall comfort and safety

Z2 Cushion Grip Diagonal Cutting Pliers

Cat. No.	Overall Length	Jaw Length	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Cutting Edge Length	Product Weight
Z5428CG	8.6 in	0.75 in	0.53 in	KNIFE-KNIFE / AWG 7	0.75 in	0.75 in	0.700 lb



- High leverage joint design provides up to 35% greater cutting power
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- 20° head angle for true flush cutting
- Professional easy clean dipped grips

Z2 Dipped Handle Diagonal Cutting Pliers

Cat. No.	Overall Length	Jaw Length	Jaw Thickness	Edge Type/ Cut Capacity	Jaw Capacity	Cutting Edge Length	Product Weight
Z5428	8.1 in	0.75 in	0.53 in	KNIFE-KNIFE / AWG 7	0.75 in	0.75 in	0.650 lb

Z2 Straight K9 Jaw Tongue and Groove Pliers

Z2 Straight K9 Jaw Tongue and Groove pliers feature revolutionary K9™ 35° Angle Access Jaws with an aggressive tooth design that digs in and turns, even when gripping at an angle. Eight jaw positions provide greater jaw capacity and allow users to set the best handle opening distance to maximize gripping power. A slim head profile and flush rivet provide a 40% improvement in access compared to other designs. Available in multiple styles and sizes with easy-to-clean dipped or dual material comfort grips.



RTZ28CG

Ergonomic Handles

With Tether Point increase overall comfort and safety*

Grip Zone Handles

For non-marring grip

Slim Jaws

Provide 40% greater access

Eight Jaw Positions

For more flexibility, grip comfort and jaw capacity

Aggressive Tooth Design

Increases torque transfer

K9 Jaw Design

Provides a strong grip, even when on a 35° angle

JAW CAPACITY
1 5/8" 41 mm

K9 JAWS
35° ANGLE



SLIM JAWS
40% GREATER ACCESS

MORE



JAW POSITIONS

GRIPZONE



NON MARRING

TETHER READY™



Dipped Handle Option:

Ergonomic, easy clean dipped grips

Z2 Auto-Bite Tongue and Groove Pliers

True one-handed automatic adjustment and slim design make these pliers perfect for work in cramped, hard-to-reach spaces. Just flip the patented Auto-Bite lever with your thumb and squeeze the handles to fit the jaws securely around any object. Auto-Bite's aggressive tooth design grips tight for maximum turning power then releases just as easily.

AUTO-BITE™

TETHER Ready™

Ergonomic Dual Material Grips

With tether point increase overall comfort and safety

RTAB12CG

Thumb-Adjust Auto-Bite Knob
Engages/disengages Auto-Bite Lever

Grip Zone Handles
Non-marring grip

"V" Jaws
Allow for firmer grip on various shapes

Patented Auto-Bite Lever
Enables one-handed jaw adjustment

Up to 30 Jaw Positions
For more flexibility, grip comfort and jaw capacity

Aggressive Tooth Design
Increases torque transfer

SLIM JAW

40% GREATER ACCESS

SELF-LOCKING JAWS SECURE GRIP

GRIPZONE

NON MARRING

1 HANDED OPERATION

2X GRIPPING POWER



- Patented Auto-Bite lever enables one handed jaw adjustment
- Thumb adjust Auto-Bite knob to engage or disengage auto-bite lever
- With the Auto-Bite lever engaged, simply squeeze the handles and the jaw automatically adjust to a precise grip
- Slim jaws provide 40% greater access
- Aggressive tooth design increases torque transfer
- Up to 30 jaw positions for more flexibility, grip comfort and jaw capacity
- Grip zone handles for non-marring grip
- "V" jaws and self-locking adjustment

Z2 Auto-Bite Tongue and Groove Dual Material Pliers

Cat. No.	Jaw Positions	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Wire Crimper	Wire Cutter	Product Weight
RTAB6CG	14	6.9 in	1 in	1 in	0.25 in	1.25 in	No	No	0.500 lb
RTAB8CG	20	8.7 in	1 in	1 in	0.28 in	1.85 in	No	No	0.600 lb
RTAB10CG	25	10.9 in	1.25 in	1.3 in	0.3 in	2.2 in	No	No	1.000 lb
RTAB12CG	30	12.8 in	2 in	1.8 in	0.35 in	2.75 in	No	No	1.700 lb



- K9 jaw design provides a strong grip, even when on a 35° angle
- Slim jaws provide 40% greater access
- Aggressive tooth design increases torque transfer
- 8 jaw positions for more flexibility, grip comfort and jaw capacity
- Grip zone handles for non-marring grip
- Ergonomic handles with tether point increase overall comfort and safety

Z2 Straight K9 Jaw Tongue and Groove Dual Material Pliers

Cat. No.	Jaw Positions	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Wire Crimper	Wire Cutter	Product Weight
RTZ28CG	8	8.5 in	1 in	1.1 in	0.33 in	1.6 in	No	No	0.545 lb



- K9 jaw design provides a strong grip, even when on a 35° angle
- Slim jaws provide 40% greater access
- Aggressive tooth design increases torque transfer
- Ergonomic handles increase overall comfort
- Professional easy clean dipped grips

Z2 Straight K9 Jaw Tongue and Groove Dipped Handle Pliers

Cat. No.	Jaw Positions	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Wire Crimper	Wire Cutter	Product Weight
RTZ28	8	8.1 in	1 in	1.1 in	0.33 in	1.6 in	No	No	0.545 lb



- K9 jaw design provides a strong grip, even when on a 35° angle
- Slim jaws provide 40% greater access
- Aggressive tooth design increases torque transfer
- Grip zone handles for non-marring grip
- Ergonomic handles with tether point increase overall comfort and safety
- V” jaws and self-locking adjustment

Z2 V-Jaw Tongue and Groove Dual Material Pliers with K9 Jaws

Cat. No.	Jaw Positions	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Wire Crimper	Wire Cutter	Product Weight
RTZ210CGV	8	10.8 in	1.25 in	1.4 in	0.38 in	2.1 in	No	No	0.875 lb
RTZ212CGV	8	12.8 in	1.8 in	1.85 in	0.42 in	2.6 in	No	No	1.525 lb



- K9 jaw design provides a strong grip, even when on a 35° angle
- Slim jaws provide 40% greater access
- Aggressive tooth design increases torque transfer
- Ergonomic handles increase overall comfort
- Professional easy clean dipped grips
- V” jaws and self-locking adjustment

Z2 V-Jaw Tongue and Groove Dipped Handle Pliers with K9 Jaws

Cat. No.	Jaw Positions	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Jaw Capacity	Wire Crimper	Wire Cutter	Product Weight
RTZ210V	8	10.2 in	1.25 in	1.4 in	0.38 in	2.1 in	No	No	0.875 lb
RTZ212V	8	12.1 in	1.8 in	1.85 in	0.42 in	2.6 in	No	No	1.525 lb



- Versatile curved jaw also features integral wire cutter
- Angled tooth pattern for a better grip
- After initial grip is set, pliers can be tightened further by turning the adjusting screw with a hex key
- Compound action for powerful non-slip locking grip
- Plastisol dip on release lever for improved comfort
- Nickel-plated finish resists rust and corrosion
- Maximum jaw opening size matches ASME specifications

Curved Jaw Locking Pliers

Cat. No.	Description
C7CVN	7” Curved Jaw Locking Pliers with Wire Cutter
C10CVN	10” Curved Jaw Locking Pliers with Wire Cutter

Wire Stripper and Crimper

True one-handed automatic adjustment and slim design make these pliers perfect for work in cramped, hard-to-reach spaces. Just flip the patented Auto-Bite lever with your thumb and squeeze the handles to fit the jaws securely around any object. Auto-Bite’s aggressive tooth design grips tight for maximum turning power then releases just as easily.

CROSS-HATCH JAW

INTEGRATED WIRE CUTTER

STRIPS 10 - 18 AWG

Flared Handle Grips
For reduced contact with potential conductive material

Tether Equipped Handles
CTWIRES

Integrated Hard Wire Cutter

TPR Molded Grips
Allow for all day comfort and surgical precision

Hot Drop-Forged Steel Blades
Providing strength, durability, and excellent cutting performance

Cross Hatch Designed Jaws
For enhanced gripping and pulling

Laser Marked Wire Sizes
Provide easy to read common residential and commercial wire sizes

Drop Forged Construction
High strength pinch style cutting end

ACCESS CUTTER LONGER HANDLES HIGHER LEVERAGE

Pro Focused Dipped Grips
For no slip and easy clean up

Extended Length Handles
For high leverage, yielding much lower force to successfully crimp junctions

More Power At Every Turn

These new Crescent Pipe Wrenches have been redesigned from the ground up to be lighter, quicker to adjust, and more comfortable to use. But even more, they've been designed to deliver the most powerful pipe grip ever with our new straight wrenches offering larger bite surfaces and exclusive K9™ 30-degree angle access jaws that give you massive turning power, even in the tightest, most restricted situations.




CAPW18

2X Faster Adjustment Speed
Adjustment ring thread pitch angled for faster opening and closing of wrench jaw

Best Grip
Handle shape optimized for maximum power and user comfort

40% Less Weight
To help reduce user fatigue, weight has been cut in low stress areas of our aluminum wrenches, making them up to 40% lighter than cast iron wrenches.

Best Access
K9™ Jaw Technology allows teeth to bite in an arc of 30 degrees – much greater than typical pipe wrench operation limits – for greater access in tight spaces



RAPID ADJUST JAWS 2X FASTER
MORE THAN 40% LIGHTER THAN CAST IRON



- Self-adjusting head design instantly grips or releases, providing fast ratcheting action
- Double the gripping power of traditional tongue-and-groove pliers
- Increases access and allows for quick pipe grip in confined spaces
- Locking jaw allows users to lock the jaw in the open position to quickly enter and exit pipe turning applications
- Unique angled tooth configuration grips tighter
- 20% wider jaw for improved gripping power
- Slim profile head design allows better access to tight areas

Self-Adjusting Steel Pipe Wrenches

SAE mm

Cat. No.	Overall Length	Capacity Diameter Max	Pipe Size Min	Pipe Size Max	Product Weight
CPW12S	11.94 in	1.5 in	0.675 in	1.5 in	1.300 lb



- SLIM JAW™ delivers best-in-class 2x access when working in tight spaces
- Adjustment ring thread pitch angled for 2x faster jaw opening and closing
- Excellent for turning pipes in limited access areas
- 40% less weight helps reduce user fatigue
- Handle shape optimized for maximum power and user comfort
- Exceeds federal torque load specification by over 140%

Aluminum SLIM JAW™ Pipe Wrench

SAE mm

Cat. No.	Overall Length	Capacity Diameter Max	Pipe Size Max	Rplc. Part	Rplc. Part	Product Weight
CAPW10S	9 in	1.9 in	1.5 in	C10HOOK	C10HEEL	0.980 lb



- K9™ jaw technology allows teeth to bite in an arc of 30 degrees for greater access in tight spaces
- 25% larger bite surface provides maximum grip helping to increase tooth durability and life
- Adjustment ring thread pitch angled for 2x faster jaw opening and closing
- 40% less weight helps reduce user fatigue
- Handle shape optimized for maximum power and user comfort
- Exceeds federal torque load specification by over 140% for maximum strength and durability

Aluminum K9™ Jaw Pipe Wrenches

SAE mm

Cat. No.	Overall Length	Capacity Diameter Max	Pipe Size Max	Rplc. Part	Rplc. Part	Product Weight
CAPW14	11.75 in	2.375 in	2.0 in	C14HOOK	C14HEEL	2.14 lb
CAPW18	14.75 in	2.875 in	2.5 in	C18HOOK	C18HEEL	3.37 lb
CAPW36	30.12 in	5.375 in	5	C36HOOK	C36HEEL	10 lb
CAPW48	42.91 in	6.375 in	6	C48HOOK	C48HEEL	18.6 lb



- Jaws open at a 90 degree offset, great for users working in limited or low access areas
- Excellent for turning pipes in limited access areas
- 40% less weight helps reduce user fatigue
- Handle shape optimized for maximum power and user comfort
- Exceeds federal torque load specification by over 140%

Aluminum Offset Pipe Wrench




Cat. No.	Overall Length	Capacity Diameter Max	Pipe Size Max	Replacement Parts	Product Weight
CAPW18F	17.9 in	2.875 in	2.5 in	C18HOOKF & C18HEELF	3.4 lb
CAPW24F	23.26 in	3.375 in	3 in	C24HOOKF & C24HEEL	5.8 lb



The Tradesman Professional Snips

Professionals know the difference quality makes. That's why they consistently choose Crescent Wiss, the market leading brand for aviation snips. Our new Tradesman snips have precision-cast black oxide coated blades for clean cuts and long life. Tested to deliver over a half-million cuts ... ten times the life of the competition and enough to complete over 700 residential HVAC system installs. Made to last in the USA.

CORROSION RESISTANT



BLADES

ERGONOMIC



HANDLE

UP TO 10X CUT LIFE

HALF A MILLION CUTS



Integrated Handle Ring
For hanging or easy storage

Upgraded Handle Design
Features built-in stops that provide consistent jaw opening and easy operation

Ergonomic Latch
For fast, single-handed operation with either hand

Optimized Two-Shot Color-Coded Grips
Provide excellent control and easy cleaning

Black Oxide Coated Blades
For added corrosion resistance yielding years of clean cuts

Precision-Cut Edges
Feature durable serrations that spread cutting force across jaw, improving cut quality and tool life



- Black oxide coated blades for improved rust and corrosion resistance
- Cuts left from tight curves to straight with red handles for quick identification
- Unique total system design requires less effort with 20% less force to cut
- Special blade serrations spread cutting force across the blade, improving cut quality and tool life
- Cuts up to 18 gauge low carbon, rolled steel
- Single-handed latch operation for left or right-handed use
- Industry leading pivot design leads to longer overall snip life
- Ergonomic handle design and compound-leverage mechanism make cutting easier and reduce hand fatigue

M1P Tradesman Aviation Snips

Cat. No.	Handle Color	Handed	Cutter Head / Blades	Cut Length	Cutting Capacity	Replacement Parts	Product Weight
M1P	Red	Both	Serrated	1.375 in	18 Gauge Low Carbon Steel	P406 Spring	0.940 lb



- Black oxide coated blades for improved rust and corrosion resistance
- Cuts right from tight curves to straight with green handles for quick identification
- Unique total system design requires less effort with 20% less force to cut
- Special blade serrations spread cutting force across the blade, improving cut quality and tool life
- Cuts up to 18 gauge low carbon, rolled steel
- Single-handed latch operation for left or right-handed use
- Industry leading pivot design leads to longer overall snip life
- Ergonomic handle design and compound-leverage mechanism make cutting easier and reduce hand fatigue

M2P Tradesman Aviation Snips

Cat. No.	Handle Color	Handed	Cutter Head / Blades	Cut Length	Cutting Capacity	Replacement Parts	Product Weight
M2P	Green	Both	Serrated	1.375 in	18 Gauge Low Carbon Steel	P406 Spring	0.940 lb



- Black oxide coated blades for improved rust and corrosion resistance
- Cuts straight and slight left and right curves with yellow handles for quick identification
- Unique total system design requires less effort with 20% less force to cut
- Special blade serrations spread cutting force across the blade, improving cut quality and tool life
- Cuts up to 18 gauge low carbon, rolled steel
- Single-handed latch operation for left or right-handed use
- Industry leading pivot design leads to longer overall snip life
- Ergonomic handle design and compound-leverage mechanism make cutting easier and reduce hand fatigue

M3P Tradesman Aviation Snips

Cat. No.	Handle Color	Handed	Cutter Head / Blades	Cut Length	Cutting Capacity	Replacement Parts	Product Weight
M3P	Yellow	Both	Serrated	1.5 in	18 Gauge Low Carbon Steel	P406 Spring	0.940 lb



- Black oxide coated blades for improved rust and corrosion resistance
- Cuts straight lines and tight left arcs with red handles for easy identification
- Offset blades keep hands clear of metal while cutting
- Unique total system design requires less effort with 20% less force to cut
- Special blade serrations spread cutting force across the blade, improving cut quality and tool life
- Cuts up to 18 gauge low carbon, rolled steel
- Single-handed latch operation for left or right-handed use
- Industry leading pivot design leads to longer overall snip life
- Ergonomic handle design and compound-leverage mechanism make cutting easier and reduce hand fatigue

M6P Tradesman Offset Aviation Snips

Cat. No.	Handle Color	Handed	Cutter Head / Blades	Cut Length	Cutting Capacity	Replacement Parts	Product Weight
M6P	Red	Both	Serrated	1.375 in	18 Gauge Low Carbon Steel	P406 Spring	1.015 lb



- Black oxide coated blades for improved rust and corrosion resistance
- Cuts straight lines and tight right arcs with green handles for easy identification
- Offset blades keep hands clear of metal while cutting
- Unique total system design requires less effort with 20% less force to cut
- Special blade serrations spread cutting force across the blade, improving cut quality and tool life
- Cuts up to 18 gauge low carbon, rolled steel
- Single-handed latch operation for left or right-handed use
- Industry leading pivot design leads to longer overall snip life
- Ergonomic handle design and compound-leverage mechanism make cutting easier and reduce hand fatigue

M7P Tradesman Offset Aviation Snips

Cat. No.	Handle Color	Handed	Cutter Head / Blades	Cut Length	Cutting Capacity	Replacement Parts	Product Weight
M7P	Green	Both	Serrated	1.375 in	18 Gauge Low Carbon Steel	P406 Spring	1.015 lb



- Black oxide coated blades for improved rust and corrosion resistance
- Cuts straight lines and slight left and right arcs with yellow handles for easy identification
- Offset blades keep hands clear of metal while cutting
- Unique total system design requires less effort with 20% less force to cut
- Special blade serrations spread cutting force across the blade, improving cut quality and tool life
- Cuts up to 18 gauge low carbon, rolled steel
- Single-handed latch operation for left or right-handed use
- Industry leading pivot design leads to longer overall snip life
- Ergonomic handle design and compound-leverage mechanism make cutting easier and reduce hand fatigue

M8P Tradesman Offset Aviation Snips

Cat. No.	Handle Color	Handed	Cutter Head / Blades	Cut Length	Cutting Capacity	Replacement Parts	Product Weight
M8P	Yellow	Both	Serrated	1.5 in	18 Gauge Low Carbon Steel	P406 Spring	1.015 lb



CUTS UP TO
8 MILES OF
STEEL

REQUIRES
20%
LESS
FORCE TO CUT

KEEPS
HANDS
OUT OF
HARM'S
WAY



Cut more. Safely.

Crescent/Wiss® Offset Straight Snips are made to keep hands away from the work for safety, but like all Crescent/Wiss snips, durability and performance are what matters. Precision-cast serrated blades reliably and comfortably cut up to eight miles of 18-gauge steel with 20% less force. Just a few more reasons why, after more than 50 years, Crescent/Wiss compound action snips are still the overwhelming choice of professionals.

Trusted by the Trades.

See the entire line of Crescent brand products now at www.crescenttool.com



Drop-Forged Tinner Snips

Recommended for making long straight cuts or wide curves in materials like roofing, vinyl siding, metal flashing, and gutters, these new design tinner snips provide HVAC professionals three times the cut-life and require 20% less force to cut than our previous design. Drop forged steel blades are precision ground for maximum strength, extended durability, and reliable performance. Soft dipped comfort grips help reduce fatigue when making repetitive cuts and a specially engineered pivot bolt maintains factory-perfect blade adjustment for the life of the tool.



Drop-Forged Tinner Snips

Cat. No.	Handle Color	Cut Length	Cutting Thickness	Product Weight
WDF7S	Rawhide and Black	1.62 in	24 Gauge	1.44 lb
WDF10S	Rawhide and Black	2 in	22 Gauge	1.66 lb
WDF12S	Rawhide and Black	2.75 in	20 Gauge	1.71 lb

- Cuts straight and wide left or right curves
- Hot drop-forged steel blades for maximum strength and longer life
- Precision-ground blades ensure consistent cutting performance
- High, straight pivot bolt leads to factory-fine tension for a lifetime of cuts
- Blister preventing cushioned grips



Offset Tinner Snips

Cat. No.	Handle Color	Cut Length	Cutting Thickness	Product Weight
WDF100	Rawhide and Black	2 in	22 Gauge	1.45 lb

- Cuts straight and wide left or right curves
- Hot drop-forged steel blades for maximum strength and longer life
- Precision-ground blades ensure consistent cutting performance
- High, straight pivot bolt leads to factory-fine tension for a lifetime of cuts
- Cuts up to 22 gauge (.64 mm) cold rolled steel
- Blister preventing cushioned grips



Lightweight Tinner Snips

Cat. No.	Handle Color	Cut Length	Cutting Thickness	Product Weight
WAL13S	Rawhide and Black	3 in	22 Gauge	1.39 lb

- 3 1/4" cut length
- Sleek head design reduces cutting effort by allowing easy flow of materials while cutting
- Strong and durable, lightweight aluminum construction
- Redesigned, ergonomic handle loops for improved cutting control
- Easy and quick blade replacement



- Duckbill blade makes tight left or right curves and straight cuts easier
- Hot drop-forged steel blades for maximum strength and longer life
- Precision-ground blades ensure consistent cutting performance
- High, straight pivot bolt leads to factory-fine tension for a lifetime of cuts
- Cuts up to 24 gauge (.51 mm) cold rolled steel
- Blister preventing cushioned grips

Duckbill Tinner Snips

Cat. No.	Handle Color	Cut Length	Cutting Thickness	Product Weight
WDF10D	Rawhide and Black	2 in	24 Gauge	1.12 lb



- Cuts 30-degree V-shaped notch in sheet metal
- Produces a clean notch without slipping at corners or take-off tabs
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use

Hand Notcher

Cat. No.	Handle Color	Throat Depth	Product Weight
WHN1N	Rawhide	.812 in	0.95 lb



- Crimps male fitting end to connect guttering, downspouts, or metal pipe
- Optimal handle span for maximum power and comfortable operating range
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use
- Compound action jaw provides excellent comfort and control

5-Blade Crimper

Cat. No.	Handle Color	Number of Blades	Throat Depth	Product Weight
WC5SN	Rawhide	5	1.25 in	0.95 lb
WC5LN	Gray	5	1.625 in	1.00 lb



- Double sided blade provides a serrated and smooth cutting surface to address both needs within a tools use case
- Shear Cut Design allows quick and easy cutting of the hard steel wire within the flex duct
- Handle optimizes hand and finger contact points in handles to maximize fit, control, and user ergonomics
- Precision-ground cutting edges provide superior cutting quality and reduced cutting effort through optimized blade geometry
- Compound action cutter gives superior cut performance

Flex Duct Cutter

Cat. No.	Handle Color	Overall Length	Blade Design	Product Weight
CTFDOUCTC	Rawhide	14 in	Double Sided	1.75 lb



- Double sided blade provides a serrated and smooth cutting surface to address both needs within a tools use case
- Handle has touch-point ergonomics optimizing hand and finger contact points to maximize fit, control, and user ergonomics
- Precision-ground gutting edges provide superior cutting quality and reduced cutting effort through optimized blade geometry
- Optimized tool length with shorter overall length for control, while maintaining the same blade length
- Heavy duty case included

Duct Knife

Cat. No.	Handle Color	Overall Length	Blade Design	Product Weight
CTDKNIFE	Rawhide	17.5 in	Double Sided	1.10 lb



- Adjustable duct flange tangs for numerous duct stretching configurations
- High strength construction with an integrated dipped grip handle for comfortable, all day use
- Lightweight aluminum construction
- High leverage design

Duct Stretcher

Cat. No.	Handle Color	Overall Length	Product Weight
CTDUCTST	Rawhide	17.375 in	1.85 lb



- Used for bending and flattening sheet metal
- Optimal handle span for maximum power and comfortable operating range
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage
- Handle latch keeps blades closed during storage or when not in use
- 1/4" depth markings
- Produces a permanent, tight-fitting seam

Hand Seamer

Cat. No.	Handle Color	Jaw Capacity	Throat Depth	Jaw Width	Product Weight
WS3N	Rawhide	.25 in - 1.25 in	1.25 in	3.25 in	1.35 lb
WS6N	Black	.25 in - 1.25 in	1.25 in	6 in	1.90 lb



- Forms tabs to secure vinyl siding or plastic skirting to finishing trim
- 3/8" throat
- Vinyl handle grips for added comfort

Snap Lock Punch

Cat. No.	Overall Length	Product Weight
WSLP1	11 in	0.70 lb



- Commonly used for folding channels and making long uniform bends in sheet metal
- Ideal for folding drive cleat channels with 3/8" depth to make longer wider folds in register boots, end caps, plenums, etc.
- Constructed of heavy 16 gauge steel that keeps folding channels from widening and ensures precise and accurate bends
- 3/8" and 1" depth folding channel to ensure proper depth alignment

Folding Tools

Cat. No.	Overall Length	Folding Channel Depths	Product Weight
WF12	12 in	.375 in & 1 in	1.30 lb
WF24	24 in	.375 in & 1 in	2.70 lb



- Designed to install both heavy and light duty nylon cable ties
- For tightening nylon ties when securing flex duct to take-off collars
- Easy-to-operate cut-off mechanism that trims excess cable strap
- Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning

Cable Tie Tensioning Tool

Cat. No.	Handle Color	Cable Tie Width	Product Weight
WT1	Rawhide	.375" and Thinner	0.90 lb



- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Large capacity 15/16", 24mm [6"], 1-1/8", 29mm [8"] and 1-5/16", 34mm [10"] jaws fit a wide range of fastener sizes
- Wider handle improves comfort and reduces fatigue
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Chrome plated finish wipes clean easily and resists rust and corrosion
- Polished head and satin finished handle

Adjustable Wrenches

Cat. No.	Description
AC26VS	6" Adjustable Wrench
AC28VS	8" Adjustable Wrench
AC210VS	10" Adjustable Wrench
AC26810VS	3-Pc Adjustable Wrench Set

Not just scissors and shears... Precision cutting tools made for pros.

The new and improved line of Crescent Wiss shears and scissors offers the performance, strength, and durability professional users need. Every scissor and shear has been upgraded with new features that deliver more comfort, superior results, and longer life. High-performance models feature titanium-coated blades for smooth, powerful cuts and several have a full metal core for maximum strength and durability.

HANDLE
XL
RINGS

SERRATED
10X
POWER
EDGE

USE FOR
LANDSCAPING
FLOORING
ROOFING
SIDING
AND MORE



Ergonomic Design
Optimizes handle contact points to maximize comfort and control

CW10TM

Full Metal Core
Extends through handle for durability and strength

Heavy Duty Titanium Coated Blades
For powerful cutting and long life

Control Channel
Fits index finger for improved control and more power

Serrated Bottom Blade
Grips material for greater control

2X
STRONGER



FULL METAL CORE



- Heavy-duty blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Serrated bottom blade grips material as it is being cut for increased cutting control and cleaner cuts
- Titanium coated blades provide corrosion resistance and are 3X harder than steel for durability and tool life
- Control channel accommodates index finger for increased control and cutting stability
- Full metal core extends through the handle for maximum strength and increased durability

Heavy-Duty Titanium Coated Tradesman Shears

Cat. No.	Handed	Cutter Head / Blades	Blade Length	Product Weight
CW10TM	Right	Bottom Serrated	4 in	0.700 lb



- Integrated wire strippers in blade for quick and easy stripping of 19 and 23 AWG wires
- Serrated outside edges of blades for reaming knockouts and conduit
- Grip-Zone area for tightening wire nuts and crimping low voltage connections
- Precision ground blades feature durable serrations on the bottom blade that grip material for better control and cleaner cuts
- Integrated cable cutter provides added power and grip needed to make clean shear cuts through electrical cable

Electrician's Data Shears

Cat. No.	Handed	Cutter Head / Blades	Blade Length	Product Weight
CW5T	Both	Bottom Serrated	1.75 in	0.300 lb



- Heavy-duty blades feature premium grade stainless steel and are precision engineered for knife-like cutting edges
- Compact 7.5 inch design allows for easy storage and excellent portability
- Titanium coated blades provide corrosion resistance and are 3X harder than steel for durability and tool life
- Quick release ergonomic latch provides consistent easy operation and secures the tool in the closed and locked position for safe storage
- TPR comfort grip handles with soft-grip texture provide best-in-class comfort and control

Titanium Coated Tradesman Utility Shears

Cat. No.	Handed	Cutter Head / Blades	Blade Length	Product Weight
CW7T	Both	Bottom Serrated	2 in	0.400 lb



- 5Cr15MoV steel blade features premium grade stainless steel and is precision-ground for excellent cutting performance
- Smooth action heavy-duty ball bearing system provides quick and easy blade deployment for the life of the tool
- Ergonomic handle optimizes hand and finger contact points to maximize fit, control, and user ergonomics
- Drop point blade design provides tip strength and overall blade durability for a variety of cutting applications
- Easy action flipper tab for easy blade deployment
- Liner lock mechanism provides secure locking of blade in open position and easy closing action
- Composite handle is ergonomically designed to optimize hand and finger
- Contact points for enhanced fit and superior control



Drop Point Composite Handle Pocket Knife

Cat. No.	Handed	Cutter Head / Blades	Handle Material	Blade Length	Overall Length	Product Weight
CPK325C	Both	Drop Point	Glass Filled Nylon	3.25 in	8 in	0.345 lb



- Heavy-duty D2 steel blade provides excellent strength, edge retention, and overall product durability
- Smooth action heavy-duty ball bearing system provides quick and easy blade deployment for the life of the tool
- Ergonomic handle optimizes hand and finger contact points to maximize fit, control, and user ergonomics
- Drop point blade design provides tip strength and overall blade durability for a variety of cutting applications
- Easy action flipper tab for easy blade deployment
- Liner lock mechanism provides secure locking of blade in open position and easy closing action
- Heavy-duty anodized aluminum handle provides excellent strength to weight ratio for optimal performance



Drop Point Aluminum Handle Pocket Knife

Cat. No.	Handed	Cutter Head / Blades	Handle Material	Blade Length	Overall Length	Product Weight
CPK325A	Both	Drop Point	Aluminum	3.25 in	8 in	0.345 lb



- Popular all-purpose retractable knife
- Easy-run slide uses all standard replacement blades
- Metal case painted red for easy visibility

Retractable Utility Knife

Cat. No.	Handle Material	Blades	Blade Material	Overall Length	Product Weight
WK8V	Zinc	3	Steel	8 in	0.38 lb



- Retractable utility knife with 11 positions
- Comfort grip for ease of use and slip protection
- Safety string cutter with recessed blade
- Quick change blade release and reload
- Magazine blade storage holds 3 blades

Quick-Change Comfort Grip Utility Knife

Cat. No.	Handle Material	Blades	Blade Material	Overall Length	Product Weight
WK500V	Dual Material	4	Steel	7 in	0.35 lb



- Compact, ergonomic design
- Blade locks in the open position for secure cutting
- Blade safely folds into handle for compact size and easy storage
- Blades coated in black oxide for improved corrosion resistance
- Features quick-change latch for quick blade replacements
- Blade storage compartment in the handle holds additional blades
- Compatible with all standard utility knife blades
- Includes belt/pocket clip
- Includes bonus 10-pack of blades
- WARNING: Sharp blade included; use care when handling

Quick-Change Folding Blade Utility Knife

Cat. No.	Handle Material	Blades	Blade Length	Blade Material	Closed Length	Open Length	Product Weight
WKF2	Dual Material	11	1.0625 in	Steel	4.55 in	7.4 in	0.60



- Sharpened Tip - A knife-like edge allows for easier penetration through sheetrock for reduced user fatigue
- Handle has touch-point ergonomics with optimized hand and finger contact points in the handles to maximize fit and control
- Precision-ground teeth provide superior cutting quality and reduced cutting effort through optimized blade geometry

Jab Saw

Cat. No.	Handle Material	Overall Length	Product Weight
CTJSAW	Dual Material	16.125 in	0.68 lb



- Four roller wheels allow for a clean and square cut at any pipe size
- Heavy duty construction provides high strength, durability, and excellent cutting performance over tool life
- Ergonomic adjustment wheel optimizes hand and finger contact points to maximize fit and control
- Replacement cutting wheel located in the adjustment wheel
- Textured finish for superior comfort, control, and overall product durability
- Built in reamer for quick and easy completion of a pipe cutting application
- Spring loaded release

Medium Tube Cutter

Cat. No.	Jaw Capacity	Length	Width	Height	Product Weight
CMPC118	1/8"-2-1/8"	10.25 in	4.5 in	2 in	1.21 lb



- Heavy duty construction provides high strength, durability, and excellent cutting performance over tool life
- Dual roller wheels allows for a clean and square cut at any pipe size
- Tri-lobed adjustment wheel optimizes hand and finger contact points to maximize fit, control, and user ergonomics
- Replacement cutting wheel located in the adjustment wheel of the tool

Mini Tube Cutter


Cat. No.	Jaw Capacity	Length	Width	Height	Product Weight
CMPC218	1/8"-1-1/8"	5 in	3 in	1 in	0.87 lb



- Large jaw capacity with a cutting size range of 3/8" to 1-1/8" diameter pipe
- Precision-ground cutting edges provide superior cutting accuracy and reduced cutting effort through optimized blade geometry
- All metal construction yields a heavy duty ratcheting mechanism for a high strength cut
- Textured handle design allows for excellent control and use of the tool

Ratcheting PVC Cutter

Cat. No.	Jaw Capacity	Length	Width	Height	Product Weight
CRPC118	3/8"-1-1/8"	13 in	6 in	1.5 in	1.51 lb



- Large jaw capacity with a cutting size range of 3/8" to 2-3/8" diameter pipe
- Precision-ground cutting edges provide superior cutting accuracy and reduced cutting effort through optimized blade geometry
- All metal construction yields a heavy duty ratcheting mechanism for a high strength cut
- Textured handle design allows for excellent control and use of the tool

Medium PVC Cutter

Cat. No.	Jaw Capacity	Length	Width	Height	Product Weight
CRPC238	3/8"-2-3/8"	5 in	3 in	1 in	1.51 lb



- Heavy duty metal construction for a lifetime of consistent and accurate cuts
- Precision ground drill bit for smooth cutting
- Easily adjustable for cutting circles ranging from 4" to 12" in diameter

Hole Cutter

Cat. No.	Cutting Radius	Length	Width	Height	Product Weight
CTHOLECUT	4"-12"	10 in	4.625 in	1.5 in	1.51 lb

SHOCKFORCE™ NITE EYE

Shockforce Nite Eye is more than a high performance tape. It's made for superior legibility in any light condition. Nite Eye's green on matte black blade makes is easy to read anywhere — from outside in bright sun to dim interior spaces. Its unique blade is also two sided, with vertical markings on the back, and its diamond coated 360-degree end hook delivers 50% more gripping power so measuring is fast and easy. The Nite Eye was designed for the demanding needs of professional tradespeople, so it has 14 feet* of standout to make fully extended measuring faster and easier. It's also exceptionally durable, with the ability to survive a full 100-foot drop. Shockforce Nite Eye ... the new standard for trade professionals.

Integrated Through Hole
Can be used as a tether loop attachment point when working at height or as a pivot for scribing arcs

Superior Impact Protection
Dual metal guardrails on both sides of the lock button provide superior protection to keep this tape going strong on the toughest jobsites

Durable Nylon Blade Coating
Extruded nylon blade coating provides best-in-class blade protection, extending blade life 5X vs. standard uncoated blades

High Visibility No-Glare Blade
High-contrast green markings and matte finish provide improved legibility in all light conditions.

Easier Inside Measurements
25-foot tapes have an even 3-inch adder, making inside measurement calculations fast and easy

360-Degree End Hook
360-degree diamond abrasive-coated end hook grips surfaces better to save time when measuring

L1125B

NYLON
5X
BLADE LIFE
COATING

2-S
DED
BLADE

ALL LIGHT
CONDITIONS

*14 foot standout based on maximum performance.



- Matte black nylon-coated blade provides extended product life and improved legibility in varied light conditions
- Diamond-coated end hook grabs material from every direction and prevents slippage
- Narrow blade technology offers reduced weight when carrying a tape all day on the job site
- Optimized drum and spring design provides a compact case that fits comfortably in the palm of your hand
- Drop tested from 100 feet for real life, on the job durability
- Dual-sided blade printed with vertical quick read scale on underside for overhead and hard-to-reach measurements
- Full 14 feet of standout
- Steel tether point offers increased safety capability when working at height
- Tether point can also be used for scribing and drawing arcs during layout

Shockforce Nite Eye Tape Measures

Cat. No.	Case Color	Blade Width	Blade Length	Blade Style	Magnetic	Standout	Product Weight
L1116B	Black	1-3/16 in	16 ft	A29	No	14 ft	.93 lb
L1125B	Black	1-3/16 in	25 ft	A29	No	14 ft	1.21 lb



- Matte nylon-coated blade provides extended product life and glare reduction
- Diamond-coated end hook grabs material from every direction and prevents slippage
- Narrow blade technology offers reduced weight when carrying a tape all day on the job site
- Optimized drum and spring design provides a compact case that fits comfortably in the palm of your hand
- Drop tested from 100 feet for real life, on the job durability
- Dual-sided blade printed with vertical quick read scale on underside for overhead and hard-to-reach measurements
- Full 14 feet of standout
- Steel tether point offers increased safety capability when working at height
- Tether point can also be used for scribing and drawing arcs during layout

Shockforce Tape Measures

Cat. No.	Case Color	Blade Width	Blade Length	Blade Style	Magnetic	Standout	Product Weight
L1116	Black	1-3/16 in	16 ft	A28	No	14 ft	.93 lb
L1125	Black	1-3/16 in	25 ft	A28	No	14 ft	1.21 lb



- Anti-pinch, finger tip control feature for increased control when retracting the tape
- Protected lock button and 6-point dual material case for increased durability
- Matte clear protective blade coating for better visibility and durability of the blade
- 360-degree end hook and 12-foot standout make one-person use easier
- Tether hole for safely working at heights

Control Series Tape Measures


Cat. No.	Case Color	Blade Width	Blade Length	Blade Style	Magnetic	Standout	Product Weight
L1016C	Black	1-3/16 in	16 ft	A24	No	12 ft	0.940 lb
L1025C	Black	1-3/16 in	25 ft	A24	No	12 ft	1.280 lb



- 3:1 rotating hub for fast rewind with a recessed folding handle for protecting the crank assembly during storage
- Extra wide, dual sided end hook increases grasping surface area; dual prong system folds up or down, allowing user to utilize both sides of the blade
- Two-sided SAE/metric blade provides more versatility for a variety of measuring requirements; designed to work with dual sided end hook
- Anti-knuckle busting handle has a built-in stop that keeps the crank clear of user's fingers during rewinding
- Compact case is ergonomically shaped to optimize user comfort while being held in hand

Steel Construction Long Tape

Cat. No.	Case Color	Shelf Pack Quantity	Shelf Pack Code	Product Package Dimensions	Product Weight
ST100-07	Black/Crescent Rawhide Orange	5	10037103341713	8.0"L x 5.9"W x 1.8"H	1.100 lb



- Extruded square head with integrated level for increased drop durability and accuracy
- Knurled nut easily adjusts ruler to align measurements
- Laser etched numbers increase legibility and protect against wear
- Markings in inches and centimeters
- Brass scribe stores in handle for quick and easy marking

Combination Squares

Cat. No.	Graduation	Overall Length	Overall Width	Overall Height	Product Weight
L06CS	1/32 in .1 cm	6.02 in	3.39 in	.51 in	0.240 lb
L12CS	1/32 in .1 cm	12.01 in	4.8 in	.75 in	0.670 lb



- Site-Vault™ security system is a patented system with 3 locking points and a reflective orange lock indicator that shows when the box is locked. Can be used with Master Lock #1, #5, #175 and American #50
- Integrated cargo nets are perfect for PPE or small tools
- EZ-Lock support arm secures and locks lid in open position for safe use
- Integrated sidewall cargo bin provides convenient storage option
- Ergonomic lifting handles are positioned inside deep recesses to prevent damage to handles
- Skid bolsters are compatible with casters (Part #1-320993, not included)
- Heavy-duty hinge is staked and welded to prevent the pin from being forced out for break in

Site-Vault™ Heavy-Duty Chests

Cat. No.	Length	Width	Height	Inside Length	Inside Width	Inside Height	Usable Cu. Ft.	App. Ship Wt.
2-651990	30 in	20 in	19.75 in	28 in	19 in	16.2 in	5 ft³	60 lb
2-652990	36 in	20 in	27.5 in	34 in	19 in	24 in	9 ft³	98 lb
2-653990	42 in	20 in	27.5 in	40 in	19 in	24 in	10.5 ft³	118 lb
2-654990	48 in	24 in	30.75 in	46 in	23 in	27.2 in	16.7 ft³	148 lb
2-656990	48 in	30 in	36.75 in	46 in	29 in	33.2 in	25.6 ft³	190 lb
2-655990	60 in	24 in	30.75 in	58 in	23 in	27.2 in	21 ft³	182 lb
2-658990	72 in	24 in	30.75 in	70 in	23 in	27.2 in	25.3 ft³	203 lb



- Site-Vault™ security system is a patented system with 3 locking points and a reflective orange lock indicator that shows when the box is locked. Can be used with Master Lock #1, #5, #175 and American #50
- Built-in door storage with hooks and cargo nets for storing harnesses, rain gear, jackets, etc.
- Integrated sidewall storage locker can be padlocked for personal items
- Ergonomic lifting handles are positioned inside deep recesses to prevent damage to handles
- Skid bolsters are compatible with casters (Part #1-320993, not included)
- High-strength top shelf is rated to hold 1,000 pounds
- Rigid 4" formed sidewalls resist wind-driven rain and pry bar break-in

Site-Vault™ Heavy-Duty Piano Boxes

Cat. No.	Length	Width	Height	Inside Length	Inside Width	Inside Height	Drop Front	Usable Cu. Ft.	App. Ship Wt.
2-681990-01	47.9 in	31 in	51 in	47.9 in	29.9 in	47.2 in	No	39.1 ft³	298 lb
2-682990-01	60 in	31 in	51 in	59.9 in	29.9 in	47.2 in	No	48.9 ft³	354.000 lb
2-688990-01	60 in	31 in	39 in	60 in	29.9 in	35.2 in	No	36.5 ft³	279.000 lb
2-689990-01	74 in	31 in	51 in	59.9 in	29.9 in	47.2 in	No	60. ft³	413.000 lb
2-683990-01	60 in	31 in	51 in	59.9 in	29.9 in	47.2 in	Yes	48.9 ft³	380.000 lb
2-684990-01	74 in	31 in	51 in	73.9 in	29.9 in	47.2 in	Yes	60.3 ft³	437.500 lb
2-685990-01	74 in	35 in	64 in	74 in	34 in	60.2 in	No	87.4 ft³	520.000 lb



- Professional grade rolling bag is ideal for everyday use in rugged conditions
- 200-lb lid capacity allows you to carry all your tool bags together
- 2-way magnetic lid
- Bright orange interior helps you find your tools faster in darker environments
- 1680 denier ballistic weave material for rugged durability
- Ergonomically designed top handle and telescoping pull handle for comfort and easy mobility
- 35 total pockets for ultimate tool storage capability
- 17 interior and 8 exterior pockets line the bag, so you can keep your equipment in order

Tradesman Rolling Tool Bag

Cat. No.	Depth	Width	Height	Inside Length	Inside Width	Inside Height	Product Weight
CTBR1850	20 in	13 in	18 in	16.5 in	9.75 in	15.5 in	15.590 lb



- Professional grade contractor bulk bag is perfect for everyday use in rugged conditions
- 11 exterior and 19 interior pockets provide a variety of storage and organization options for materials, tools and small parts
- Hard polypropylene base resists moisture and protects the bag from wear and tear in tough environments
- Bright orange interior helps you find your tools faster in darker environments
- Made with 1680D polyester and metal hardware to hold up on the toughest jobsite
- 13 PALS-style loops on the outside of the bag provide quick, easy access to your frequently used tools
- Two padded handles make carrying the bag more comfortable and distribute the bag's weight for added durability
- Padded shoulder strap provides convenient, hands-free transportation
- Top-quality YKK zipper comes with a 3-year warranty and an oversized pull for added convenience

20" Contractor Tool Bag

Cat. No.	Depth	Width	Height	Inside Length	Inside Width	Inside Height	Product Weight
CTB2010	20 in	12.2 in	13 in	19.75 in	10.75 in	13.75 in	4.870 lb



- Professional grade bag is ideal for everyday use in rugged conditions
- 3 exterior pockets and a 29-pocket interior tool wall provide additional organization
- Hard polypropylene base resists moisture and withstands impacts, delivering lasting durability
- Bright orange interior helps you find your tools faster in darker environments
- Made with 1680D polyester and metal hardware to hold up on the toughest jobsites
- 13 PALS-style loops on the outside of the bag provide quick, easy access to your frequently used tools
- Inner sleeves are open at the bottom so small items won't get lost deep in narrow pockets
- Includes a water bottle holder and a tape measure clip for convenience
- Top-quality YKK zipper comes with a 3-year warranty and an oversized pull for added convenience

Tradesman Closed Top Tool Bags

Cat. No.	Color	Depth	Width	Height	Inside Length	Inside Width	Inside Height	Product Weight
CTB1450	Black, Gray & Rawhide	14 in	9.2 in	14.5 in	13.75 in	7.75 in	10.75 in	5.220 lb
CTB1750	Black, Gray & Rawhide	17 in	9.5 in	16.7 in	16.75 in	8.75 in	11.75 in	6.550 lb



- Professional grade open top bag is ideal for everyday use in rugged conditions
- 17 interior and 8 exterior pockets line the bag, so you can keep your equipment in order
- Hard polypropylene base resists moisture and withstands impacts, delivering lasting durability
- Bright orange interior helps you find your tools faster in darker environments
- Made with 1680D polyester and metal hardware to hold up on the toughest jobsite
- 2 exterior pocket sleeves for small parts such as sockets or screws
- Center metal handle meets durability standards and provides comfort while carrying the bag from job to job
- Adjustable, padded shoulder strap and padded nonslip bar handle make carrying the bag more comfortable

Tradesman Open Top Tool Bags

Cat. No.	Color	Depth	Width	Height	Inside Length	Inside Width	Inside Height	Product Weight
CTB1410	Black, Gray & Rawhide	14 in	9.6 in	14.5 in	13.75 in	7.75 in	9.25 in	5.510 lb
CTB1710	Black, Gray & Rawhide	17 in	11 in	16 in	16.5 in	8.75 in	11 in	7.050 lb



- Professional grade backpack is ideal for everyday use, with an adjustable front pocket to hold large items like electrical cords
- 4 exterior pockets and 34 interior pockets for all parts as well as exterior pockets for the frequently used tools
- Hard polypropylene base is moisture resistant and stands up to tough environments for long-lasting durability
- Bright orange interior helps you find your tools faster in darker environments
- Made with 1680D polyester and metal hardware to hold up on the toughest jobsite
- Inner sleeves are open at the bottom so small items won't get lost deep in narrow pockets
- Specialized magnetic pocket stores items for quick access
- Ergonomic handle is easy to grab and provides a comfortable, nonslip grip
- Includes a water bottle holder and a tape measure clip for added convenience
- Top-quality YKK zipper comes with a 3-year warranty

Tradesman Backpack

Cat. No.	Color	Depth	Width	Height	Inside Length	Inside Width	Inside Height	Product Weight
CTB1000	Black, Gray & Rawhide	14 in	10 in	18 in	12.75 in	7.5 in	16.5 in	8.000 lb



- Maximum-strength head and claw forged of carbon steel, finished with a corrosion and rust resistant clear coat
- Contoured handle to increase comfort and reduce fatigue
- Solid fiberglass handle covered with a molded nylon jacket
- Comfortable cushion-grip handle with an enlarged base for butting materials
- Permabond® construction securely attaches the head to the handle
- Extended steel throat prevents breakage due to overstrike
- Factory balanced for maximum striking power and control
- Convenient magnetic nail starter

Rip Claw Hammer with Fiberglass Handle

Cat. No.	Head Weight [Oz.]	Head Length	Face Diameter	Face Finish	Handle Length	Overall Length	Product Weight
11419C	16 oz	5.41 in	1.16 in	Polished	5.5 in	13 in	1.200 lb



- Black phosphate shafts and blades for increased corrosion resistance
- Diamond coated tips for improved torque and grip when fastening
- Co-molded acetate handles for comfort and durability while fastening
- Color-coded handles help to quickly identify driver type
- Meets ASME specifications for drivers
- Includes #1 x 3" Phillips, #2 x 4" Phillips, 3/16" x 4" Slotted, and 1/4" x 4" Slotted

4-Pc. Diamond Tip Co-Molded Screwdriver Set

Cat. No.	Included Storage	Product Weight
CGS4PCSET	None	1.146 lb



- Insulated handles with alloy steel blades that are tested to 10,000 Volts for peace of mind while working in electrical spaces
- High strength heat-treated blades and tips are made for years of jobsite rated use
- Phillips sizes - #0 x 3" shank, #1 x 3" shank and #2 x 4" shank
- Slotted sizes - 1/8" x 3" shank, 5/32" x 4" shank, 7/32" x 5" shank and 1/4" x 6"
- *Not for use on live circuits. Best practice is to always disconnect or terminate any live current to a work area before use.*

7-Pc. VDE Screwdriver Set

Cat. No.	Included Storage	Product Weight
CTVDESOS	None	0.80 lb



- American pattern flat file with bastard cut on one side and smooth cut on the other side, providing aggressive material removal and precise finishing capability in one file
- Rectangular cross-section with slight taper towards point
- Double cut on sides and single cut on edges
- Precision engineered for maximum material removal per stroke and long life
- Special tooth construction reduces clogging
- Includes 8" [21908N] and 10" [21910N] 2-in-1 Bastard and Smooth Cut Files

2-Pc. 2-in-1 Bastard and Smooth Cut File Set

Cat. No.	Included Storage	Product Weight
21981N	None	0.640 lb



- Long length for increased access, short end for higher torque
- High strength alloy steel for strength and durability
- Black oxide finish resists corrosion
- Meets or exceeds ASME B18.3
- Key caddy organizes and stores hex keys

13-Key SAE Long Arm Hex Key Set



Cat. No.	Keys	Key Sizes	Length	Product Weight
CHKLASAE13	13	.05, 1/16 in, 5/64 in, 3/32 in, 7/64 in, 1/8 in, 9/64 in, 5/32 in, 3/16 in, 7/32 in, 1/4 in, 5/16 in, 3/8 in	7.5 in	0.990 lb



- Ball end hex keys permit an angle of entry of up to 25° for easier access
- Long length for increased access
- Short end for higher torque
- High strength alloy steel for strength and durability
- Black oxide finish resists corrosion
- Meets or exceeds ASME B18.3
- Key caddy organizes and stores hex keys

13-Key SAE Ball End Long Arm Hex Key Set



Cat. No.	Keys	Key Sizes	Length	Product Weight
CHKLABALL13	13	.05, 1/16 in, 5/64 in, 3/32 in, 7/64 in, 1/8 in, 9/64 in, 5/32 in, 3/16 in, 7/32 in, 1/4 in, 5/16 in, 3/8 in	7.5 in	0.970 lb



- Two-sided design for external and internal pipe reaming
- Pipe reaming capacity is 3/8" to 1-5/8"

Pipe Reamer

Cat. No.	Length	Width	Height	Product Weight
CTPIPEREAM	6.375 in	6.375 in	3.188 in	0.800 lb



- Isolation zone insulates all your standard bits, protecting you up to 1000V
- Withstands heavy-use in impact applications
- Magnetic tip keeps fasteners securely in place
- Easily secure and replace bits with a retaining ring
- 1/4" hex shank is compatible with impact drivers and drills

eSHOK-GUARD™ Interchangeable Bit Driver

Cat. No.	Size	Overall Length	Rated Voltage	Product Weight
CAEBH2C	1/4 in	3 in	1000V	0.492 lb



- Isolation zone insulates all your standard sockets, protecting you up to 1000V
- Withstands heavy-use in impact applications
- Compact design improves precision in tight spaces
- Ball detent for secure socket retention and easy replacement

eSHOK-GUARD™ Socket Adapters

Cat. No.	Size	Overall Length	Rated Voltage	Product Weight
CAEAD316	1/4 in	2.125 in	1000V	0.137 lb
CAEAD324	3/8 in	2.25 in	1000V	0.168 lb
CAEAD332	1/2 in	2.625 in	1000V	0.284 lb

INSULATES ALL BITS UP TO 1000V
ISOLATION ZONE PROTECTS YOU UP TO 1000V
Insulates all of your standard bits

IMPACT RATED
Withstands heavy-use in impact applications

1/4" 1/4" HEX SHANK
Compatible with impact drivers and drills

MAGNETIC TIP
Fasteners stay securely in place

RETAINING RING
Easily secure and replace bits



- Non-marring cover protects from scratching or damages
- Free spinning design enhances control and safety
- Optimized tip geometry for best fit (50% better grip measured on Phillips® bit only)
- Superior durability to withstand the toughest jobs
- Full body design for greater strength and durability
- Proprietary heat treat process maximizes bit life (2x more durable)
- Pivoting insert rails for ease of use
- Stackable for convenient storage

30 Pc. u-GUARD™ alphaCASE™ Set

Cat. No.	Included Storage	Product Weight
AUGSET-30	alphaCASE™	1.583 lb

Cat. No.	Description	Qty.	Cat. No.	Description	Qty.
AMB1SL6	6 - 8 x 1" Slotted Insert Bit	1	AMB2TX25	T25 x 2" Torx® Power Insert Bit	2
AMB1TX20	T20 x 1" Torx® Insert Bit	1	AUMB3BPH2	#2 Phillips® u-GUARD™ Covered Impact Power Bit w/Ring Magnet	1
AMB1TX25	T25 x 1" Torx® Insert Bit	4	AUGB3BPH2	T25 Torx® u-GUARD™ Covered Impact Power Bit	1
AMB1SQ2	#2 x 1" Square Insert Bit	2	AUGN2B20	5/16" u-GUARD™ Covered Magnetic Nutsetter	1
AMB1PH1	#1 x 1" Phillips® Insert Bit	2	AUGN2B16	1/4" u-GUARD™ Covered Magnetic Nutsetter	1
AMB1PH2	#2 x 1" Phillips® Insert Bit	6	AUGBQ2A	u-GUARD™ Covered Quick Release Bit Holder 1/4" x 2-1/4"	1
AMB2PH2	#2 x 2" Phillips® Power Insert Bit	4	AMBQ2A	2-1/4" Quick Release Bit Holder	1
AMB2SQ2	#2 x 2" Square Power Insert Bit	2			





Trusted by the Trades.

ATG-6693 | ©2021



Crescent®, Wiss®, Lufkin®, Nicholson®, H.K. Porter®, JOBDX®, and APEX® are registered trademarks of Apex Brands, Inc., A Division of Apex Tool Group, LLC.

Apex Tool Group, LLC
1000 Lufkin Road, Apex, NC 27539
www.crescenttool.com